#### Overview

ofsde processes real time data from the IHFS database and outputs files which are read by CHPS/FEWS. Types of processing performed by ofsde include transforming PC data into PP values, changing two character SHEF pe types into OFS types, station id translation based on SHEF source code and checking end times against a window around 12z for PP24 data. It is normally run via the cron between 2 and 5 times per hour.

#### New for CHPS

- added check for data after 12z but within allowable time window as the end of 12z-12z period (FB 1320)
  - tested at NCRFC and MBRFC
- added section entitled "Forecast Discharge Processing Note" describing the processing of FcstDischarge data and the recommended sorting of ofsde output (FogBugz 934)
- fixed problem where ts code was not checked when searching for most recently created forecast discharge value (reported by NCRFC Aug 2012 - FogBugz 826)
- added output to new file v12v5.chps

## Outline

- (1) Open log file and vl2v5.chps file
- (2) Read parameters from .Apps defaults file
- (3) Open database
- (6) Query the PerfLog table to find the last ofsde run time
- (7) Get all records from CurPC table in linked list form with posting time later than last ofsde run time (records are ordered by lid, datetime)

For all records found:

- (a) Check IngestFilter table for ofs input value
- (b) If ofs input = "T" then
  - (c) If record has same id as previous record AND

obstime is within same 12z - 12z period as previous record, then

(d) Take next record

Else

- (e) Get OFS data type and forward/backward window from the OFSDataTrans table
- (f) Process record

End if

End If

(8) Get all records from CurPP table in linked list form with posting time later than last ofsde run time (records are ordered by lid, datetime)

For all records found:

- (a) Check IngestFilter table for ofs input value
- (b) If ofs input = "T" then
- (c) Get OFS data type and forward/backward window from the OFSDataTrans table
- (d) Process record End If
- (9) Get all records from Temperature table in linked list form with posting time later than last ofsde run time

For all records found:

- (a) Check IngestFilter table for ofs input value
- (b) If ofs input = "T" then
  - (c) Get OFS data type from OFSDataTrans table
  - (d) Process record

End if

(10) Get all records from Height table in linked list form with posting time later than last ofsde run time (same for Discharge, Snow, Ice, Moisture, Lake, Ground, GateDam tables)

For all records found:

- (a) Check IngestFilter table for ofs input value
- (b) If ofs input = "T" then

- (c) Get OFS data type from OFSDataTrans table
- (d) Process record

End if

(11) Get all records from Evaporation table in linked list form with posting time later than last ofsde run time (same for Radiation, Agricultural, YUnique tables)

For all records found:

- (a) Check IngestFilter table for ofs input value
- (b) If ofs input = "T" then
  - (c) Get OFS data type from OFSDataTrans table
  - (d) Process record

End if

(12) Get all records from ProcValue table in linked list form with posting time later than last ofsde run time (records in the ProcValue table have SHEF type ="P")

For all records found:

- (a) Check IngestFilter table for ofs\_input value
- (b) If ofs input = "T" then
  - (c) Get OFS data type from OFSDataTrans table
  - (d) Process record

End if

(13) Get all records from FcstDischarge table in linked list form with posting time later than last ofsde run time

For all records found:

- (a) Check IngestFilter table for ofs input value
- (b) If ofs input = "T" then
  - (c) If there are multiple records with the same ts and validtime, then choose the record with the most recent basistime (i.e. the most recently created forecast value)
  - (d) Get OFS data type from OFSDataTrans table
  - (e) Process record

End if

(14) Get all records from FcstHeight table in linked list form with posting time later than last ofsde run time

For all records found:

- (a) Check IngestFilter table for ofs input value
- (b) If ofs input = "T" then
  - (c) If record has same id, pe, validtime as previous record, then read next record
  - (d) Get OFS data type from OFSDataTrans table
  - (e) Process record

End if

(15) Get all records from FcstTemp table in linked list form with posting time later than last ofsde run time

For all records found:

- (a) Check IngestFilter table for ofs input value
- (b) If ofs input = "T" then
  - (c) If record has same id, extremum, validtime as previous record, then read next record
  - (d) Process record

End if

- (16) Write number of records processed, time of run to Perflog table
- (17) Close database and exit

Notes

(1) List of data types processed by ofsde:

Observed Data:

Precipitation (both PP and PC data)

Temperature

Height

Discharge

Snow

Ice

Moisture

Lake
Ground
Radiation
Evaporation
Agricultural
Unique data for sites (stored in the YUnique table)
Weather
Wind
GateDam

#### Forecast Data:

Discharge Height Temperature

(2) No processing is done for the following data types:

Forecast Precip Forecast Other Fish Count Power Water Quality

Data for these data types is not written to the ofsde output files.

## Subprocesses

- (1) gcrng
  - range checks on data using DataLimits and LocDataLimits tables
  - if station id does not appear in the LocDataLimits table AND the pe type does not appear in the DataLimits table, then data passes qc check
  - used only for PP data generated from PC data
- (2) pc2pp
  - calculate PP06 and PP24 data at sub synoptic times
  - call gcrng
  - call wr2ofs
  - (4) wr2ofs
    - station identifier translation using OFSStationTrans table
    - PE translation from SHEF to V5 form using OFSDataTrans table
    - write records to vl2v5.chps file

- (5) rrs2ofs
  - same as wr2ofs except writes duration code and 'FUT'
    for future data
- (6) durdec
  - decodes the SHEF duration code into hours
- (7) chktatm
  - checks obs time of observed TA data for possible change to 12z
- (8) chkpostpp
  - checks obs time of observed PP data for possible posting to OFS and possible change of obs time to 12z
- (9) process observed precip records
  - for PC data:
    - call pc2pp
  - for PP data:
    - if quality code = F, then ignore data
    - if ofsde\_check\_questionable token = ON and quality code = Q, then ignore data
    - if duration = 2001 or 1024 or 5004 then call chkpostpp
    - call wr2ofs end if
- (10) process observed height, discharge, snow, ice, moisture, lake, ground (RRS data) records
  - if quality code = F, then ignore data
  - if ofsde\_check\_questionable token = ON and quality code = Q, then ignore data
  - change values = -9999. to -999.
  - if ofsde\_rrstime\_check = ON AND
     obs time is not 12z AND
     forward window and back window not both = 0.0 then
     call chkrrstime
  - call durdec
  - call rrs2ofs
- (11) process observed temperature records
  - if quality code =  $F_{r}$  then ignore data
  - if ofsde\_check\_questionable token = ON and quality\_code = Q, then ignore data

- if TD data for 12z found, then call mape
- for max/min temperatures, check that min < max and
  max > min
- call chktatm
- call wr2ofs
- (12) process observed radiation, evaporation, agricultural, unique records and processed data (from ProcValue table)
  - if quality code = F, then ignore data
  - if ofsde\_check\_questionable token = ON and quality code = Q, then ignore data
  - change values = -9999. to -999.
  - if pe = "SA" and value != -999. then divide value by 100. (SHEF pe = "SA" corresponds to OFS pe = "AESC")
  - call wr2ofs
- (13) process forecast discharge records
  - call durdec
  - call rrs2ofs
- (14) process forecast height records
  - call durdec
  - call rrs2ofs
- (15) process forecast temperature records
  - PE translation from SHEF to V5 form using OFSDataTrans table
  - call wr2ofs

## qcrng Process

- (1) Check the data value against the max and min values from the LocDataLimits table for the station id, pe type and date
- (2) if value is between max and min then return status=passed qc test
  - else if value is outside of range, then return status=failed qc test
  - else if no record is found in the table, then check value against max/min values from the DataLimits table for pe type and date
- (3) if value is between max and min then

return status=passed qc test
else if value is outside of range, then
return status=failed qc test

(4) if no record is found in either table, then return status=passed qc test

# pc2pp Process

- (1) Read PC values for given id and ts for 12z to 12z period of interest (subroutine rd12bf) (see notes 1,4,5)
- (2) Find the 5 data values with obs date/time within allowable window around the sub-synoptic times If no value is available within allowable window, then mark PC value as missing
- (3) Attempt to estimate missing sub-synoptic PC values (subroutine estpc)

If a PC value is missing, then

- (a) find closest earlier and closest later PC values which bracket (in time) the missing PC value
- (b) if either value is not available, then go to (4)
- (c) if the two values are within 0.05 in absolute value, then set the missing value to the closest later PC value

End If

- (4) Check the Ingestfilter table for PP duration = 1006 If not found, then go to (10)
- (5) Calculate 6 hour period totals
- (6) Check CurPC table for a record with the same id, obs time with SHEF type/source = RG (A) If found, then go to step (9) (do not write data to vl2v5.chps file)
- (7) Execute subroutine qcrng(A) If data fails qc test, then set value = -999.
- (8) Execute subroutine wr2ofs
- (9) Repeat steps (6), (7) and (8) for the three remaining periods

- (11) Check CurPrecip table for a record with the same id, obs time with SHEF type/source = RG (A) If found, then go to step (14) - do not write data to
- (12) Execute subroutine qcrng
   (A) If data fails qc test, then set value = -999.
- (13) Execute subroutine wr2ofs

v12v5.chps file

(14) Exit

### Notes

- (1) Step (1) also saves PC values before the earlier 12z time and after the later 12z time for use in estimating missing PC values in step (3).
- (2) PP06 values are assigned times = 000000,60000,120000,180000.
- (3) The allowable window on obs time is read from the OFSDataTrans table. Separate values for forward in time and back in time windows are stored.
- (4) Step (1) reads through the PC records in the 12z 12z time period twice. The first time to count the number of records for a malloc and the second time to actually store the values. To accomplish this, records are selected from the database ONCE, placed into a linked list and the list is traversed twice.

(5) Added test for case where obstime is AFTER 12z but within allowable window around 12z. This is considered to be the end of the 12z-12z period. (FB 1320)

## Processing Forecast Temperature Data

ndate = value of .Apps\_defaults token ofsde\_ndate
 if not defined, default value = 7 is used

maxfuttime = current time + ndate days

- (1) search the FcstTemp table for records with validtime >
   current time AND validtime < maxfuttime</pre>
- (2) If found, then
  - (A) Select records with newest basistime for each id, pe, ts, ex, validtime
  - (B) call rrs2ofs

End If

#### Processing Forecast Height and Discharge Data

In step (1) below, the height data is selected from the fcstheight table while the discharge data is read from the fcstdischarge table.

- (1) Search the table for records with validtime > current time
- (2) If found, then
  - (A) Select records with newest basistime for each id, pe, ts, validtime
  - (B) call durdec
  - (C) If SHEF duration code is successfully transformed into hours, then call rrs2ofs

End If

(3) Exit

#### CHKPOSTPP

This process checks the obs time and duration code of PP data to determine if the data should be posted to FEWS. It also checks the obs time of the PP data being posted to FEWS to determine if a change to the obs time is necessary. See documentation in NWSRFS Users Manual Chap VI p 4.2-5. This check is done for duration codes = 1024 and 2001 only.

```
iotime = observation time (hhmmss) (z time)
idur = SHEF duration code
ofsde lower ppp, ofsde upper ppp = .Apps defaults tokens
default values: ofsde lower ppp = 2
                 ofsde upper ppp = 2
iobl = 120000 - (ofsde lower ppp*10000)
iobu = 120000 + (ofsde upper ppp*10000)
if (iotime < iobl OR iotime > iobu) AND (idur = 2001 OR idur =
1024)
   set flag to not post data to FEWS and return
else
   set flag to post data to FEWS
end if
if(iotime >= iobl AND iotime <= iobu)
   iotime changed to 120000
end if
```

### CHKTATM Process

This process checks the obs time of max/min temperatures to determine if a change to the obs time is necessary. This is done to satisfy requirements from OFS. See documentation in NWSRFS Users Manual Chap VI p 4.2-5.

```
shs = SHEF source code
shex = SHEF extremum code
iotime = observation time (hhmmss) (z time)
intlXXX, intuXXX = .Apps defaults tokens
default values: intlrmn = 8
                inturmn = 2
                intlrzn = 2
                inturzn = 2
                intlrzx = 8
                inturzx = 2
if shs = M then
   if shex = N then
      iobl = 12 - intlrmn
      iobu = 12 + inturmn
      if(iotime >= iobl AND iotime <= iobu) then iotime changed
to 12z
   else if shex = X then
      iobl = 12 - intlrzx
      iobu = 12 + inturzx
      if(iotime >= iobl AND iotime <= iobu) then iotime changed
to 12z
  end if
else if shs = Z then
   if shex = N OR shex = P then
      iobl = 12 - intlrzn
      iobu = 12 + inturzn
      if(iotime >= iobl AND iotime <= iobu) then iotime changed
to 12z
   else if shex = X then
```

```
iobl = 12 - intlrzx
iobu = 12 + inturzx
```

#### CHKRRSTIME Process

This process was added at the request of NWRFC to check obs times of observed RRS data against a window around 12z. Originally, NWRFC requested this time check for Discharge data only. During testing, it was decided to generalize it for all RRS data types. If the obs time is not 12z but is within the window, then the obs time is changed to 12z before the record is written to v12v5.chps. The window is defined by reading the fwd\_time\_window and bkw\_time\_window fields from the OFSDataTrans table. Units of these values is hours.

```
iotime = observation time (hhmmss) (z time)
ifwin = integer portion of forward window
ibwin = integer portion of backward window
idfwin = decimal portion of forward window
idbwin = decimal portion of backward window
iobf= 120000 + (ifwin*10000) + (idfwin*6000)
iobb= 120000 - (ibwin*10000) - (idbwin*6000)
if (iotime >= iobb AND iotime <= iobf) then change iotime to 12z</pre>
```

#### **DURDEC Process**

The durdec process decodes the duration code into a duration in hours and in some cases changes the hour of observation.

The following is an outline describing the procedure:

Output: duration in hours (=durhr), hour of observation (=hrobs)

```
(b) hrobs unchanged
  (c) return
End If
```

```
(3) If type = 1, then
      (a) durhr = nhrs
      (b) hrobs unchanged
   Else If type = 2, then
      (c) durhr = (nhrs * 24)
      (d) if hrobs >= 12, then
             (i) iw = hrobs -12
             (ii) int = ofsde lower ppp
          else
             (iii) iw = 12 - hrobs
             (iv) int = ofsde upper ppp
          end if
      (e) if iw \le int, then hrobs = 12
   Else If type = 5, then
      (f) if hrobs \geq 12, then
             (i) iw = hrobs - 12
             (ii) int = ofsde lower ppp
          else
             (iii) iw = 12 - hrobs
             (iv) int = ofsde upper ppp
          end if
      (g) if iw <= int, then
            (i) durhr = 24
            (ii) hrobs = 12
            (iii) durhr = hrobs - 12
                  if durhr < 0, then durhr = hrobs + 12
            (iv)
    Else SHEF duration code cannot be transformed into hours
    End If
```

## Notes

(1) ofsde\_lower\_ppp and ofsde\_upper\_ppp are currently read from
.Apps defaults.

## vl2v5.chps File Format

The vl2v5.chps file is an ascii file which is output from ofsde,

read by the chpspst script and copied to the FEWS import directory. In August 2012, it was determined that a sort is required for proper ingest into FEWS. See Fogbugz 934 for further info. The vl2v5.chps file is generated by each run of ofsde.

Field Description	<u>Format</u>	
station identifier	A8	
date (yyyymmdd)	18	
time (hhmm)	I4.4	
PE code for OFS	A4	
type/source code	A2	
value	F11.2	
Following fields are written f	or RRS data	only:
future data indicator	А3	

## Notes

duration (hours)

- (1) There is no space between the date and time fields.

  All other fields are separated by one space.
- (2) Values greater than 1e8 are checked for and flagged as errors. This prevents the case of the value field containing \*\*\*\*\*\*\* as is the case when the format is exceeded.
- (3) The future data indicator field = "FUT" for future RRS data and blank for observed RRS data.

Ι2

(4) The duration is zero for instantaneous data.

## .Apps defaults tokens

```
ofsde lower ppp
                     : 2 # number of hours before 12z for
                            # changing PPP obstime to 12z
                            # number of hours before 12z for
                             # posting 1024 and 2001 data
                     : 2
                           # number of hours after 12z for
ofsde upper ppp
                            # changing PPP obstime to 12z
                            # number of hours after 12z for
                             # posting 1024 and 2001 data
                         # number of days to search for
ofsde ndate : 7
                           forecast temperature data
ofsde rrstime check : ON # check obs time of observed RRS
                             data against window around 12z
ofsde check questionable : ON # ON/OFF token for checking
                                # for records with
                                # quality code = Q
                                # if token = ON and code = Q
                                # then record is ignored
# intervals for max/min temperatures
# these represent number of hours around 12z
# naming scheme: intXYYZ
                             X = 1 - lower interval
                                 u - upper interval
                             YY = SHEF type/source = RM or RZ
                              Z = SHEF extremum code = X or N
intlrmn
                   2
inturmn
intlrzn
inturzn
intlrzx
inturzx
```

#### Forecast Discharge Processing Note

After fixing a problem processing the RQOT data described in FogBugz 826, it was discovered that the output from ofsde was not being properly ingested by CHPS. The problem was found to be that CHPS requires that its input data be sorted. The following ofsde output is from an NCRFC case for RQOT data:

```
      SVRM7
      201208241100
      RQOT FZ
      33500.00
      FUT 0

      SVRM7MVS
      201208241100
      RQOT FC
      33500.00
      FUT 0

      SVRM7
      201208251100
      RQOT FZ
      31000.00
      FUT 0

      SVRM7MVS
      201208251100
      RQOT FC
      31000.00
      FUT 0

      SVRM7
      201208261100
      RQOT FZ
      30000.00
      FUT 0

      SVRM7MVS
      201208261100
      RQOT FC
      30000.00
      FUT 0

      SVRM7
      201208271100
      RQOT FC
      29500.00
      FUT 0

      SVRM7
      201208281100
      RQOT FC
      29500.00
      FUT 0

      SVRM7mVS
      201208281100
      RQOT FC
      29000.00
      FUT 0

      SVRM7
      201208291100
      RQOT FC
      28500.00
      FUT 0

      SVRM7
      201208291100
      RQOT FC
      28500.00
      FUT 0
```

The output above needs to be sorted as follows to allow it to be ingested by FEWS:

```
      SVRM7
      201208241100
      RQOT FZ
      33500.00
      FUT 0

      SVRM7
      201208251100
      RQOT FZ
      31000.00
      FUT 0

      SVRM7
      201208261100
      RQOT FZ
      30000.00
      FUT 0

      SVRM7
      201208271100
      RQOT FZ
      29500.00
      FUT 0

      SVRM7
      201208281100
      RQOT FZ
      29000.00
      FUT 0

      SVRM7
      201208291100
      RQOT FZ
      28500.00
      FUT 0

      SVRM7MVS
      201208241100
      RQOT FC
      33500.00
      FUT 0

      SVRM7MVS
      201208251100
      RQOT FC
      31000.00
      FUT 0

      SVRM7MVS
      201208261100
      RQOT FC
      30000.00
      FUT 0

      SVRM7MVS
      201208281100
      RQOT FC
      29500.00
      FUT 0

      SVRM7MVS
      201208281100
      RQOT FC
      29000.00
      FUT 0

      SVRM7MVS
      201208291100
      RQOT FC
      29000.00
      FUT 0
```

The sort command used to generate the output above is

```
sort -k 1,1 -k 3,4 -k 2,2
```

which sorts first on the 1st column (ID), then on the 3rd and 4th columns (pe code and type/source) and finally on the 2nd column (date/time). The reference script run\_ofsde.template contains this sort command.

### Description of ofsde Files

(1) Template (reference) file for run ofsde and chpspst

```
/awips/chps_share/ohd/scripts/
```

run ofsde.template

(2) ofsde executable:

/awips/chps share/ohd/bin/ofsde.chps

(3) ofsde log files:

/.../ofsde.mmddyyyyhhmm

(4) ofsde output for CHPS:

```
/.../v12v5.chps
```

FEWS uses its own configuration file to define the directory to use for importing the vl2v5.chps file. The setting is defined like the following

## IMPORT FOLDER OFSDE=\$IMPORT FOLDER ROOT\$/ofsde

Note that \$IMPORT\_FOLDER\_ROOT\$ is RFC dependent, but usually something like /awips/chps\_local/data/toCHPS/\$RFCNAME. This directory should be a directory local to the machines chps3-nhdr, chps6-nhdr and chps9-nhdr.

## Sample ofsde Output

## vl2v5.chps sample:

SVRM7	201208241100	RQOT	FZ	33500.00	FUT	0
SVRM7	201208251100	RQOT	FZ	31000.00	FUT	0
SVRM7	201208261100			30000.00	FUT	0
SVRM7	201208271100	RQOT	FZ	29500.00	FUT	0
SVRM7	201208281100	RQOT	FZ	29000.00	FUT	0
SVRM7	201208291100	RQOT	FZ	28500.00	FUT	0

## Sample of ofsde log:

```
version number = 5.2.1
operating system: Linux
intlppp = 2 intuppp = 2 ndate = 7
ProcValue table search
```

```
last ofsde run time = 2002-04-09 13:20:01 Z
processing CurPrecip table records
record = ALTP1 PC 0 RG Z 2002-04-09 13:00:00 10.970000 Z 1879048191
   57 records read from OFSDataTrans table
     n25=2 nb=2 nf=0
     value=10.970000 datetime=2002-04-09 12:00:00
     value=10.970000 datetime=2002-04-09 13:00:00
     BEFORE ESTPC: 04-09 12 = 10.97 04-09 18 = 999.00 04-10 00 =
999.00 \quad 04-10 \quad 06 = 999.00 \quad 04-10 \quad 12 = 999.00
     AFTER ESTPC: 04-09 12 = 10.97 04-09 18 = 999.00 04-10 00 =
999.00 \quad 04-10 \quad 06 = 999.00 \quad 04-10 \quad 12 = 999.00
     1 NON MISSING values FOUND -- NO PP PROCESSING DONE
record = AXMP1 PC 0 RG Z 2002-04-09 13:00:00 45.240000 Z 1879048191
     n25=2 nb=2 nf=0
     value=45.240000 datetime=2002-04-09 12:00:00
     value=45.240000 datetime=2002-04-09 13:00:00
     BEFORE ESTPC: 04-09 12 = 45.24 04-09 18 = 999.00 04-10 00 =
999.00 \quad 04-10 \quad 06 = 999.00 \quad 04-10 \quad 12 = 999.00
     AFTER ESTPC: 04-09 12 = 45.24 04-09 18 = 999.00 04-10 00 =
999.00 \quad 04-10 \quad 06 = 999.00 \quad 04-10 \quad 12 = 999.00
     1 NON MISSING values FOUND -- NO PP PROCESSING DONE
record = BBRP1 PC 0 RG Z 2002-04-09 13:00:00 6.080000 Z 1879048191
     n25=2 nb=2 nf=0
     value=6.080000 datetime=2002-04-09 12:00:00
     value=6.080000 datetime=2002-04-09 13:00:00
     BEFORE ESTPC: 04-09 12 = 6.08 04-09 18 = 999.00 04-10 00 = 999.00
04-10\ 06 = 999.00\ 04-10\ 12 = 999.00
     AFTER ESTPC: 04-09 12 = 6.08 04-09 18 = 999.00 04-10 00 = 999.00
04-10\ 06 = 999.00\ 04-10\ 12 = 999.00
     1 NON MISSING values FOUND -- NO PP PROCESSING DONE
record = BHLP1 PC 0 RG Z 2002-04-09 12:34:00 3.180000 Z 1879048191
     INSUFFICIENT DATA IN CurPrecip table TO CALCULATE PPXX values
record = BMGP1 PC 0 RG Z 2002-04-09 12:30:00 0.150000 Z 1879048191
     n25=3 nb=4 nf=0
     value=0.150000 datetime=2002-04-09 12:00:00
     value=0.150000 datetime=2002-04-09 12:30:00
     value=0.150000 datetime=2002-04-09 13:00:00
     BEFORE ESTPC: 04-09 12 = 0.15 04-09 18 = 999.00 04-10 00 = 999.00
04-10\ 06 = 999.00\ 04-10\ 12 = 999.00
     AFTER ESTPC: 04-09 12 = 0.15 04-09 18 = 999.00 04-10 00 = 999.00
04-10\ 06 = 999.00\ 04-10\ 12 = 999.00
     1 NON MISSING values FOUND -- NO PP PROCESSING DONE
record = BMGP1 PC 0 RG Z 2002-04-09 13:00:00 0.150000 Z 1879048191
     AFTER ESTPC: 04-09 12 = 16.17 04-09 18 = 999.00 04-10 00 =
999.00 \quad 04-10 \quad 06 = 999.00 \quad 04-10 \quad 12 = 999.00
     1 NON MISSING values FOUND -- NO PP PROCESSING DONE
***** PP data processing ******
record = PETW2 PP 5004 RZ Z 2002-04-09 11:00:00 0.000000 Z 1879048191
     obs time changed to 12z
```

database name = hd5 22rhax

WRITING DATA TO VL2V5.BUF --- PETW2 200204091200 PP24 0.00

processing Height table records

record = LNCP1 HG	0 RG Z 2002-04-09	12:15:00	3.030000 Z 1879048191	
WRITING DATA	TO VL2V5.BUF	LNCP1	200204091215 STG	3.03
record = LNCP1 HG	0 RG Z 2002-04-09	12:30:00	3.030000 Z 1879048191	
WRITING DATA	TO VL2V5.BUF	LNCP1	200204091230 STG	3.03
record = LNCP1 HG	0 RG Z 2002-04-09	12:45:00	3.030000 Z 1879048191	
WRITING DATA	TO VL2V5.BUF	LNCP1	200204091245 STG	3.03
record = LNCP1 HG	0 RG Z 2002-04-09	13:00:00	3.020000 Z 1879048191	
WRITING DATA	TO VL2V5.BUF	LNCP1	200204091300 STG	3.02
record = HGSP1 HG	0 RG Z 2002-04-09	09:15:00	1.570000 Z 1879048191	
WRITING DATA	TO VL2V5.BUF	HGSP1	200204090915 STG	1.57
record = ILTP1 HG	0 RG Z 2002-04-09	12:30:00	3.650000 Z 1879048191	
WRITING DATA	TO VL2V5.BUF	ILTP1	200204091230 STG	3.65
record = ILTP1 HG	0 RG Z 2002-04-09	12:45:00	3.650000 Z 1879048191	
WRITING DATA	TO VL2V5.BUF	ILTP1	200204091245 STG	3.65
record = TNKP1 HG	0 RG Z 2002-04-09	10:00:00	2.330000 Z 1879048191	
WRITING DATA	TO VL2V5.BUF	TNKP1	200204091000 STG	2.33
record = TNKP1 HG	0 RG Z 2002-04-09	10:15:00	2.330000 Z 1879048191	
WRITING DATA	TO VL2V5.BUF	TNKP1	200204091015 STG	2.33
record = TNKP1 HG	0 RG Z 2002-04-09	10:30:00	2.330000 Z 1879048191	
WRITING DATA	TO VL2V5.BUF	TNKP1	200204091030 STG	2.33

#### processing Temperature table records

WRITING DATA TO VL2V5.BUF --- WFXP1 200204091300 TA03 59.00 record = LNCP1 TA 0 RG Z 2002-04-09 12:15:00 61.000000 Z 1879048191 WRITING DATA TO VL2V5.BUF --- LNCP1 200204091215 TA03 61.00 record = ILTP1 TA 0 RG Z 2002-04-09 12:45:00 61.000000 Z 1879048191 WRITING DATA TO VL2V5.BUF --- ILTP1 200204091245 TA03 record = ILTP1 TA 0 RG Z 2002-04-09 13:00:00 61.000000 Z 1879048191 WRITING DATA TO VL2V5.BUF --- ILTP1 200204091300 TA03 record = WIBP1 TA 0 RG Z 2002-04-09 12:15:00 64.000000 Z 1879048191 WRITING DATA TO VL2V5.BUF --- WIBP1 200204091215 TA03 64.00 record = WIBP1 TA 0 RG Z 2002-04-09 12:30:00 64.000000 Z 1879048191 WRITING DATA TO VL2V5.BUF --- WIBP1 200204091230 TA03 64.00 record = WIBP1 TA 0 RG Z 2002-04-09 12:45:00 64.000000 Z 1879048191

record = WFXP1 TA 0 RG Z 2002-04-09 13:00:00 59.000000 Z 1879048191

64.00
record = WIBP1 TA 0 RG Z 2002-04-09 13:00:00 64.000000 Z 1879048191
 WRITING DATA TO VL2V5.BUF --- WIBP1 200204091300 TA03
64.00

WRITING DATA TO VL2V5.BUF --- WIBP1 200204091245 TA03

```
record = PETW2 TA 0 RZ X 2002-04-09 11:00:00 76.000000 Z 1879048191
    obs time changed to 12z
    WRITING DATA TO VL2V5.BUF --- PETW2 200204091200 TX24
76.00
record = PETW2 TA 0 RZ N 2002-04-09 11:00:00 50.000000 Z 1879048191
    obs time changed to 12z
    WRITING DATA TO VL2V5.BUF --- PETW2 200204091200 TN24
50.00
processing FcstHeight table records
record = RMDV2 HG 0 FF Z -1.0000\ 2002-04-09\ 18:00:00\ 2002-04-09\ 13:27:00
4.400000 Z 1879048191
    WRITING DATA TO VL2V5.BUF --- RMDV2
                                      200204091800 STG
4.300000 Z 1879048191
    WRITING DATA TO VL2V5.BUF --- RMDV2
                                      200204100000 STG
record = RMDV2 HG 0 FF Z -1.0000 2002-04-10 06:00:00 2002-04-09 13:27:00
4.400000 Z 1879048191
    WRITING DATA TO VL2V5.BUF --- RMDV2 200204100600 STG
record = RMDV2 HG 0 FF Z -1.0000 2002-04-10 12:00:00 2002-04-09 13:27:00
4.400000 Z 1879048191
    WRITING DATA TO VL2V5.BUF --- RMDV2 200204101200 STG
record = RMDV2 HG 0 FF Z -1.0000 2002-04-12 00:00:00 2002-04-09 13:27:00
4.400000 Z 1879048191
    WRITING DATA TO VL2V5.BUF --- RMDV2
                                      200204120000 STG
record = RMDV2 HG 0 FF Z -1.0000\ 2002-04-12\ 06:00:00\ 2002-04-09\ 13:27:00
4.400000 Z 1879048191
    WRITING DATA TO VL2V5.BUF --- RMDV2
                                      200204120600 STG
4.600000 Z 1879048191
    WRITING DATA TO VL2V5.BUF --- RMDV2 200204121200 STG 4.60
177 records written to vl2v5.buf file
CPU TIME USED= 0.110000 SEC -- ELAPSED TIME= 13.000000 SEC
```

DFD for ofsde

